



About BASF

At BASF, we create chemistry for a sustainable future. We combine economic success with environmental protection and social responsibility. The approximately 114,000 employees in the BASF Group work on contributing to the success of our customers in nearly all sectors and almost every country in the world. Our portfolio is organized into five segments: Chemicals, Performance Products, Functional Materials & Solutions, Agricultural Solutions and Oil & Gas. BASF generated sales of about €58 billion in 2016. BASF shares are traded on the stock exchanges in Frankfurt (BAS), London (BFA) and Zurich (BAS). Further information at www.basf.com.




About the Construction Chemicals division

BASF's Construction Chemicals division offers advanced chemical solutions under the global umbrella brand Master Builders Solutions for the construction, maintenance, repair and renovation of structures. The brand is built on more than 100 years of experience in the construction industry. Our comprehensive portfolio encompasses concrete admixtures, cement additives, chemical solutions for underground construction, waterproofing systems, sealants, concrete repair & protection systems, performance grouts, performance flooring systems, tile-fixing systems, expansion joints & control systems and wood protection solutions.



The Construction Chemicals division's approximately 6,000 employees form a global community of building experts. To solve our customers' specific construction challenges from conception through to completion of a project, we draw on our specialist know-how, regional expertise and the experience gained in countless constructions projects worldwide. We leverage global BASF technologies and our in-depth knowledge of local building needs to develop innovations that help make our customers more successful and drive sustainable construction.

The division operates production sites and sales offices in more than 60 countries and achieved sales of about €2.3 billion in 2016.







Material Handling & Preparation



Conveyance




Bunkers, Silos and Storage Buildings





Jetties and Ports



Selection Chart: Jetties and Ports

| Segment | Description | Product | Fast Solutions (Hour) | Application |
|--------------------------------------|---|--|--------------------------|--|
| | High Range Superplasticizers - Normal and retarding | MasterGlenium | | Normal & Mass concrete for raft/foundation, structural concrete |
| | Super slump retaining hyperplasticizer | MasterGlenium, MasterGlenium SKY | | High performance & self compacting concrete |
| | Solution for "Smart Dynamic Concrete" | MasterMatrix SDC 100 | | Mass self compacting concrete with low fines |
| | Carrision Inhibitor admixture | MasterLife CI 222 Plus | | Reinforeced concrete |
| | Densified Silica Fume for cast and sprayed concrete | MasterRoc MS 610 | | Dense concrete with improved resistance to chemical and mechanical attack |
| Admixtures | Waterproofing Admixture | MasterLife WP 701 | | Normal & Mass concrete for raft/foundation, structural concrete |
| 0 | Shrinkage reducing admixture | MasterLife SRA 865 | | Mass concrete for raft/foundation, |
| | New generation high performance Superplasticizer | MasterGlenium ACE 450 | | Precast concrete |
| | Air entraining admixture for concrete | MasterAir | | Normal & Mass concrete for raft/foundation, structural concrete |
| | New generation superplasticizer to improve rheology | MasterGlenium PAV 806 | | Concrete pavements, industrial floors, slab-on-ground |
| | Structural fibre adding toughness and ductility to concrete | MasterFiber 240 | | Industrial floors, slab-on-ground, precast concrete |
| Surface | Mould release agent | MasterFinish 235J | | Smooth finish concrete surfaces |
| Improvement 2 | Non-film forming curing compound | MasterKure 181 | | Curing of concrete surfaces |
| | Epoxy based, non-sag, adhesive mortar | MasterBraceADH 1406 | 24 | Concrete repair, anchorage, and bonding of construction materials (steel, concrete, brick) |
| | 3 · · · · · · · · · · · · · · · · · · · | MasterEmaco S 488 | 24 | Patch repair of structural members |
| | Cement based, pourable, structural repair mortar | MasterEmaco S 488 PG | 24 | Form & pour, repair of structural members |
| | Cement based, high strength and self compacting non-shrink grout | MasterEmaco S 423 | 24 | Form & pour, volume repairs of structural members |
| | Ultra fast, extra high-strength, thixotropic structural repair mortar | MasterEmaco T1100 TIX | 2 | Patch repair of concrete, where high & rapid strength build-up even at <0 °C are needed |
| | Ultra fast, extra high-strength, flowable structural repair mortar | MasterEmaco T1200 PG | 2 | Repair of horizontal surfaces that need to be opened to traffic swiftly, even at <0 °C |
| Concrete Repair and Protection | Cement based repair mortar | MasterEmaco N 900 | 24 | Reprofilling mortar for finishing the concrete surfaces |
| 3 | Epoxy based injection resin | MasterInject 1302 | 24 | Structural crack repair |
| | Epoxy based, fast setting, water tolerant injection resin | MasterInject 1380 | 24 | Structural repair of water saturated cracks |
| | Acrylic polymer based elastomeric exterior coating | MasterProtect 330 EL | 24 | Protection of concrete and plastered surfaces from affects of frost, carbonation and salts |
| | Epoxy Coating | MasterProtect 180 | 24 | Lining for storage tanks / water retaining tanks and splash zones |
| | Hydrophobization & Impregnation treatments | MasterProtect H 1100 / MasterProtect H 303 | 24 | Protection for external concrete surfaces |
| | Surface applied corrosion inhibitor | MasterProtect 8000 CI | 24 | Corrosion protection of new and stopping of existing concrete structures |
| Concrete Repair and Strengthening | Advanced Pile Encapsulation (APE) | MasterBrace 6000UW * | | Underwater corrosion intervention and structural repair |
| 4 | Carbone fibre composite strengthening systems | MasterBrace FIB, MasterBrace NET, MasterBrace LAM | | Structural strengthening |
| | Cementitious precision grout | MasterFlow 928 | 24 | Foundation mounting of machine/equipment/steel column |
| Grout & Anchorage | High-strength epoxy grout & repair mortar | MasterFlow 402/ MasterFlow 402 RS | 24 (2) | Foundation mounting of pump/equipment with heavy dynamic load |
| | Methacrylate / epoxy resin based chemical anchoring grouts | MasterFlow 920 AN/ MasterFLow 936 AN | 2 24 | Post installation of rebars, fixing of bolts, shear connectors and bearing plates |
| | Polysulphide sealants | MasterSeal CR 170/171 | 48 | Expansion Joint with chemical resistance |
| Waterproofing | Re-injectable hose | MasterSeal 909 | | Construction Joint |
| Waterproofing and Sealants | Hydro-swelling gaskets | MasterSeal 910 | | Construction Joint |
| 6 | Hydro-swelling injection resin | MasterSeal 901 | _ | Construction Joint |
| | Polyurea coating | MasterSeal M689 | (2) | Waterproofing and protection |

^{*:} APE system requires project specific design, therefore please consult BASF Technical Services



>>>Conveyance



Selection Chart: Conveyance

| Segment | Description | Product | Fast Solutions (Hour) | Application |
|----------------------|---|---|--------------------------|--|
| | Cementitious precision grout | MasterFlow 928 | 24 | Foundation mounting of machine/equipment/steel column |
| | High-strength epoxy grout & repair mortar | MasterFlow 402/ MasterFlow 402 RS | 1 22 | Foundation mounting of pump/equipment with heavy dynamic load |
| Grout & Anchorage 5 | Metallic aggregate reinforced, ultra-high strength and impact resistant grout | MasterFlow 4800 | | Mounting of turbines/generators/compressors with high dynamic and repetitive loading |
| | Fast & easy cementitious anchoring grout | MasterFlow 960 TIX | . (5) | Structural anchoring of rebars and bolts, even in wet concrete, or when high temp resistance req'd |
| | Methacrylate / epoxy resin based chemical anchoring grouts | MasterFlow 920 AN/ MasterFLow 936 AN | 24 | Post installation of rebars, fixing of bolts, shear connectors and bearing plates |



Bunkers, Silos & Storage Building



Selection Chart: Bunkers, Silos & Storage Buildings

| | , | | | |
|-----------------------------------|--|--|--------------------------|---|
| Segment | Description | Product | Fast Solutions (Hour) | Application |
| | High Range Superplasticizers - Normal and retarding | MasterGlenium | | Normal & Mass concrete for raft/foundation, structural concrete |
| | Carrision Inhibitor admixture | MasterLife CI 222 Plus | | Reinforeced concrete |
| | Densified Silica Fume for cast and sprayed concrete | MasterRoc MS 610 | | Dense concrete with improved resistance to chemical and mechanical attack |
| Admixtures | Waterproofing Admixture | MasterLife WP 701 | | Normal & Mass concrete for raft/foundation, structural concrete |
| • | New generation high performance Superplasticizer | MasterGlenium ACE 450 | | Precast concrete |
| | Air entraining admixture for concrete | MasterAir | | Normal & Mass concrete for raft/foundation, structural concrete |
| | Structural fibre adding toughness and ductility to concrete | MasterFiber 240 | | Industrial floors, slab-on-ground, precast concrete |
| Surface Improvement | Mould release agent | MasterFinish 235J | | Smooth finish concrete surfaces |
| 2 | Non-film forming curing compound | MasterKure 181 | | Curing of concrete surfaces |
| | Epoxy based flowable adhesive | MasterBrace ADH 1420 | 24 | Bonding agent for old to new concrete |
| | Epoxy based, non-sag, adhesive mortar | MasterBraceADH 1406 | 24 | Concrete repair, anchorage, and bonding of construction materials (steel, concrete, brick.) |
| | Cement based, high build repair mortar | MasterEmaco S 488 | 24 | Patch repair of structural members |
| | Cement based, pourable, structural repair mortar | MasterEmaco S 488 PG | 24 | Form & pour, repair of structural members |
| | Cement based, high strength and self compacting non-shrink grout | MasterEmaco S 423 | 24 | Form & pour, volume repairs of structural members |
| | Ultra fast, extra high-strength, thixotropic structural repair mortar | MasterEmaco T1100 TIX | | Patch repair of concrete, where high & rapid strength build-up, even at <0 °C are needed |
| · · | Ultra fast, extra high-strength, flowable structural repair mortar | MasterEmaco T1200 PG | (2) | Repair of horizontal surfaces that need to be opened to traffic swiftly, even at <0 °C |
| 3 | Epoxy based injection resin | MasterInject 1302 | 24 | Structural crack repair |
| | Epoxy based, fast setting, water tolerant injection resin | MasterInject 1380 | 24 | Structural repair of water saturated cracks |
| | Acrylic polymer based elastomeric exterior coating | MasterProtect 330 EL | 24 | Protection of concrete and plastered surfaces from affects of frost, carbonation and salts |
| | Epoxy Coating | MasterProtect 180 | 24 | Lining for storage tanks / water retaining tanks and splash zones |
| | Hydrophobization & Impregnation treatments | MasterProtect H 1100 / MasterProtect H 303 | 24 | Protection for external concrete surfaces |
| | Surface applied corrosion inhibitor | MasterProtect 8000 CI | 24 | Corrosion protection of new and stopping of existing concrete structures |
| Concrete Repair and Strengthening | Carbone fibre composite strengthening systems | MasterBrace FIB, MasterBrace NET, MasterBrace LAM | | Structural strengthening |
| | Cementitious precision grout | MasterFlow 928 | | Foundation mounting of machine/equipment/steel column |
| Grout & Anchorage 5 | Methacrylate / epoxy resin based chemical anchoring grouts | MasterFlow 920 AN/ MasterFLow 936 AN | (2) 24 | Post installation of rebars, fixing of bolts, shear connectors and bearing plates |
| | Polyurethane sealants | MasterSeal 440 | | Expansion Joint |
| | Polysulphide sealants | MasterSeal CR 170/171 | 48 | Expansion Joint with chemical resistance |
| | Re-injectable hose | MasterSeal 909 | | Construction Joint |
| | Hydro-swelling gaskets | MasterSeal 910 | | Construction Joint |
| | Waterproofing TPO tapes | MasterSeal 930 | | Sealing wide expansion / seismic joints |
| | Hydro-swelling injection resin | MasterSeal 901 | | Construction Joint |
| Waterproofing and | Synthetic PVC waterproofing membranes | MasterSeal 700BG | | Waterproofing of raft/foundation |
| Sealants 6 | Pre-applied FPO waterproofing membrane | MasterSeal 754 | | Waterproofing of raft/foundation |
| | Cement and acrylic based flexible coating | MasterSeal 525 | | Waterproofing |
| | Cement and acrylic based flexible coating | MasterSeal 589 | | Waterproofing for negative-positive applications |
| | Cement based elastic and flexible, lightweight, hand or spray applied coating | MasterSeal 6100 FX | 24 | Waterproofing and protection |
| | Epoxy-polyurethane coating | MasterSeal M 336 | 24 | Waterproofing and protection |
| | Polyurethane coating | MasterSeal M800 | | Waterproofing |
| | Hybrid Polyurethane-Polyurea coating | MasterSeal M811 | | Waterproofig |






Production Plant







Production Areas




Selection Chart: Production Areas

| Segment | Description | Product | Fast Solutions (Hour) | Application |
|-----------------------------------|---|--|--------------------------|---|
| | High Range Superplasticizers - Normal and retarding | MasterGlenium | | Normal & Mass concrete for raft/bundation, structural concrete |
| | Super slump retaining hyperplasticizer | MasterGlenium, MasterGlenium SKY | | High performance & self compacting concrete |
| | Densified Silica Fume for cast and sprayed concrete | MasterRoc MS 610 | | Dense concrete with improved resistance to chemical and mechanical attack |
| Admixtures 1 | | MasterLife SRA 865 | | Mass concrete for raft/bundation |
| | New generation superplasticizer to improve rheology | MasterGlenium PAV 806 | | Concrete pavements, industrial floors, slab-on-ground |
| | Structural fibre adding toughness and ductility to concrete | MasterFiber 240 | | Industrial floors, slab-on-ground, precast concrete |
| Surface Improvement | | MasterFinish 235J | | Smooth finish concrete surfaces |
| 2 | Non-film forming curing compound | MasterKure 181 | | Curing of concrete surfaces |
| | Epoxy based flowable adhesive | MasterBrace ADH 1420 | 24 | Bonding agent for old to new concrete |
| | Epoxy based, non-sag, adhesive mortar | MasterBraceADH 1406 | 24 | Concrete repair, anchorage, and bonding of construction materials (steel, concrete, brick.) |
| | Cement based, high build repair mortar | MasterEmaco S 488 | 24 | Patch repair of structural members |
| | mortar | MasterEmaco S 488 PG | 24 | Form & pour, repair of structural members |
| | Cement based, high strength and self compacting non-shrink grout | MasterEmaco S 423 | 24 | Form & pour, volume repairs of structural members |
| | structural repair mortar | MasterEmaco T1100 TIX | 2 | Patch repair of concrete, where high & rapid strength build-up, even at <0 °C are needed |
| Protection 3 | Ultra fast, extra high-strength, flowable structural repair mortar | MasterEmaco T1200 PG | | Repair of horizontal surfaces that need to be opened to traffic swiftly, even at <0 °C |
| | * * * | MasterInject 1302 | 24 | Structural crack repair |
| | Acrylic polymer based elastomeric exterior coating | MasterProtect 330 EL | 24 | Protection of concrete and plastered surfaces from affects of frost, carbonation and salts |
| | Epoxy Coating | MasterProtect 180 | 24 | Lining for storage tanks / water retaining tanks and splash zones |
| | Hydrophobization & Impregnation treatments | MasterProtect H 1100 / MasterProtect H 303 | 24 | Protection for external concrete surfaces |
| | Surface applied corrosion inhibitor | MasterProtect 8000 CI | 24 | Corrosion protection of new and stopping of existing concrete structures |
| Concrete Repair and Strengthening | | MasterBrace FIB, MasterBrace NET, MasterBrace LAM | | Structural strengthening |
| | 3 · · | MasterFlow 928 | | Foundation mounting of machine/equipment/steel column |
| Grout & Anchorage | High-strength epoxy grout & repair mortar | MasterFlow 402/ MasterFlow 402 RS | 24 | Foundation mounting of pump/equipment with heavy dynamic load |
| 5 | strength and impact resistant grout | MasterFlow 4800 | 24 | Mounting of turbines/generators/compressors with high dynamic and repetitive loading |
| | Methacrylate / epoxy resin based chemical anchoring grouts | MasterFlow 920 AN/ MasterFLow 936 AN | 2 24 | Post installation of rebars, fixing of bolts, shear connectors and bearing plates |
| | Polysulphide sealants | MasterSeal CR 170/171 | 48 | Expansion Joint with chemical resistance |
| | Hydro-swelling gaskets | MasterSeal 910 | | Construction Joint |
| | Waterproofing TPO tapes | MasterSeal 930 | | Sealing wide expansion / seismic joints |
| Waterproofing and Sealants | Pre-applied FPO waterproofing membrane | MasterSeal 754 | | Waterproofing of raft/foundation |
| 6 | Polyurethane coating | MasterSeal M800 | | Waterproofing |
| | Hybrid Polyurethane-Polyurea coating | MasterSeal M811 | | Waterproofig |
| | ., | MasterSeal M689 | (2) | Waterproofing and protection |
| | High performance floor hardener with metallic aggregates | MasterTop 200 | | Floors subjected to high abrasion and impact |
| | High performance floor hardner with corundum aggregates | MasterTop 430 | | Floors subjected to abrasion |
| | <u> </u> | MasterTop 135 PG | | Levelling/Reprofiling of indoor and outdoor concrete floors |
| Performance | systems | MasterTop 1273 AS, MasterTop 1324 AS, UCRETE MFAS | | Floors with anti-static requirements |
| Flooring 7 | Epoxy or Polyurethane anti-bacterial flooring systems | MasterTop 1324 AB, MasterTop 1325 AB | | Floors with anti-bacterial requirements |
| | Epoxy floor coatings | MasterTop 1200 series | | Protection and decoration of flooring surfaces |
| | · | MasterTop 1300 series | | Protection and decoration of flooring surfaces |
| | Dense, impervious, hygenic, long lived, heavy duty PU concrete flooring | UCRETE series | 24 | High abration, impact and chemical resistant, anti- skid floors (especially when wet) |



Warehouses & Loading Docks




Selection Chart: Warehouses & Loading Docks

| Segment | Description | Product | Fast Solutions (Hour) | Application |
|-----------------------------------|---|--|--------------------------|---|
| | High Range Superplasticizers - Normal and retarding | MasterGlenium | | Normal & Mass concrete for raft/bundation, structural concrete |
| | Super slump retaining hyperplasticizer | MasterGlenium, MasterGlenium SKY | | High performance & self compacting concrete |
| | Solution for "Smart Dynamic Concrete" | MasterMatrix SDC 100 | | Mass self compacting concrete with low fines |
| | Carrision Inhibitor admixture | MasterLife CI 222 Plus | | Reinforeced concrete |
| Admixtures | Densified Silica Fume for cast and sprayed concrete | MasterRoc MS 610 | | Dense concrete with improved resistance to chemical and mechanical attack |
| 1 | Shrinkage reducing admixture | MasterLife SRA 865 | | Mass concrete for raft/foundation |
| | Air entraining admixture for concrete | MasterAir | | Normal & Mass concrete for raft/bundation, structural concrete |
| | New generation superplasticizer to improve rheology | MasterGlenium PAV 806 | | Concrete pavements, industrial floors, slab-on-ground |
| | Structural fibre adding toughness and ductility to concrete | MasterFiber 240 | | Industrial floors, slab-on-ground, precast concrete |
| Surface Improvement | Mould release agent | MasterFinish 235J | | Smooth finish concrete surfaces |
| 2 | Non-film forming curing compound | MasterKure 181 | | Curing of concrete surfaces |
| | Epoxy based, non-sag, adhesive mortar | MasterBraceADH 1406 | 24 | Concrete repair, anchorage, and bonding of construction materials (steel, concrete, brick.) |
| | Cement based, high build repair mortar | MasterEmaco S 488 | 24 | Patch repair of structural members |
| | Cement based, pourable, structural repair mortar | MasterEmaco S 488 PG | 24 | Form & pour, repair of structural members |
| Concrete Repair and Protection | Cement based, high strength and self compacting non-shrink grout | MasterEmaco S 423 | 24 | Form & pour, volume repairs of structural members |
| 3 | Ultra fast, extra high-strength, thixotropic structural repair mortar | MasterEmaco T1100 TIX | 2 | Patch repair of concrete, where high & rapid strength build-up, even at <0 °C are needed |
| | Ultra fast, extra high-strength, flowable structural repair mortar | MasterEmaco T1200 PG | 2 | Repair of horizontal surfaces that need to be opened to traffic swiftly, even at <0 °C |
| | Epoxy based injection resin | MasterInject 1302 | 24 | Structural crack repair |
| Concrete Repair and Strengthening | | MasterBrace FIB, MasterBrace NET, MasterBrace LAM | | Structural strengthening |
| | Cementitious precision grout | MasterFlow 928 | 24 | Foundation mounting of machine/equipment/steel column |
| | High-strength epoxy grout & repair mortar | MasterFlow 402/ MasterFlow 402 RS | 24 2 | Foundation mounting of pump/equipment with heavy dynamic load |
| 5 | Methacrylate / epoxy resin based chemical anchoring grouts | MasterFlow 920 AN/ MasterFLow 936 AN | 2 24 | Post installation of rebars, fixing of bolts, shear connectors and bearing plates |
| Waterproofing and Sealants | Polysulphide sealants | MasterSeal CR 170/171 | 48 | Expansion Joint with chemical resistance |
| 6 | Hydro-swelling gaskets | MasterSeal 910 | | Construction Joint |
| | High performance floor hardener with metallic aggregates | MasterTop 200 | | Floors subjected to high abrasion and impact |
| | High performance floor hardner with corundum aggregates | MasterTop 430 | | Floors subjected to abrasion |
| Performance | | MasterTop 135 PG | | Levelling/Reprofiling of indoor and outdoor concrete floors |
| Flooring | Epoxy floor coatings | MasterTop 1200 series | | Protection and decoration of flooring surfaces |
| • | Polyurethane floor coatings | MasterTop 1300 series | | Protection and decoration of flooring surfaces |
| | Dense, impervious, hygenic, long lived, heavy duty PU concrete flooring | UCRETE series | 24 | High abration, impact and chemical resistant, anti- skid floors (especially when wet) |





Environmental Procesees










Chimneys & Stacks



Selection Chart: Chimneys & Stacks

| Segment | Description | Product | Fast Solutions (Hour) | Application |
|-----------------------------------|---|--|--------------------------|---|
| | High Range Superplasticizers - Normal and retarding | MasterGlenium | | Normal & Mass concrete for raft/foundation, structural concrete |
| | Super slump retaining hyperplasticizer | MasterGlenium, MasterGlenium SKY | | High performance & self compacting concrete |
| | Solution for "Smart Dynamic Concrete" | MasterMatrix SDC 100 | | Mass self compacting concrete with low fines |
| Advitations | Carrision Inhibitor admixture | MasterLife CI 222 Plus | | Reinforeced concrete |
| Admixtures 1 | Densified Silica Fume for cast and sprayed concrete | MasterRoc MS 610 | | Dense concrete with improved resistance to chemical and mechanical attack |
| | Waterproofing Admixture | MasterLife WP 701 | | Normal & Mass concrete for raft/foundation, structural concrete |
| | Shrinkage reducing admixture | MasterLife SRA 865 | | Mass concrete for raft/foundation |
| | Air entraining admixture for concrete | MasterAir | | Normal & Mass concrete for raft/foundation, structural concrete |
| Surface Improvement | Mould release agent | MasterFinish 235J | | Smooth finish concrete surfaces |
| 2 | Non-film forming curing compound | MasterKure 181 | | Curing of concrete surfaces |
| | Epoxy based, non-sag, adhesive mortar | MasterBraceADH 1406 | 24 | Concrete repair, anchorage, and bonding of construction materials (steel, concrete, brick.) |
| | Cement based, high build repair mortar | MasterEmaco S 488 | 24 | Patch repair of structural members |
| | Cement based, high strength and self compacting non-shrink grout | MasterEmaco S 423 | 24 | Form & pour, volume repairs of structural members |
| | Ultra fast, extra high-strength, thixotropic structural repair mortar | MasterEmaco T1100 TIX | (2) | Patch repair of concrete, where high & rapid strength build-up, even at <0 °C are needed |
| Concrete Repair and Protection | Cement based repair mortar | MasterEmaco N900 | 24 | Reprofilling mortar for finishing the concrete surfaces |
| 3 | Epoxy based injection resin | MasterInject 1302 | 24 | Structural crack repair |
| | Acrylic polymer based elastomeric exterior coating | MasterProtect 330 EL | 24 | Protection of concrete and plastered surfaces from affects of frost, carbonation and salts |
| | Hydrophobization & Impregnation treatments | MasterProtect H 1100 / MasterProtect H 303 | 24 | Protection for external concrete surfaces |
| | Surface applied corrosion inhibitor | MasterProtect 8000 CI | 24 | Corrosion protection of new and stopping of existing concrete structures |
| Concrete Repair and Strengthening | Carbone fibre composite strengthening systems | MasterBrace FIB, MasterBrace NET, MasterBrace LAM | | Structural strengthening |
| Curant 8 Amahawa | Fast&easy cementitious anchoring grout | MasterFlow 960 TIX | 2 | Structural anchoring of rebars and bolts, even in wet concrete or when high temp resistance req'd |
| Grout & Anchorage 5 | Methacrylate / epoxy resin based chemical anchoring grouts | MasterFlow 920 AN/ MasterFLow 936 AN | 2 24 | Post installation of rebars, fixing of bolts, shear connectors and bearing plates |
| Waterproofing and Sealants | Epoxy-polyurethane coating | MasterSeal M 336 | 24 | Waterproofing and protection |
| Sealants 6 | Polyurea coating | MasterSeal M689 | | Waterproofing and protection |



Secondary Containment



Selection Chart: Secondary Containment

| Segment | Description | Product | Fast Solutions (Hour) | Application |
|----------------------------|---|---|--------------------------|---|
| | Carrision Inhibitor admixture | MasterLife CI 222 Plus | | Reinforeced concrete |
| | Densified Silica Fume for cast and sprayed concrete | MasterRoc MS 610 | | Dense concrete with improved resistance to chemical and mechanical attack |
| | Waterproofing Admixture | MasterLife WP 701 | | Normal & Mass concrete for raft/bundation, structural concrete |
| Admixtures | Shrinkage reducing admixture | MasterLife SRA 865 | | Mass concrete for raft/foundation |
| 0 | Air entraining admixture for concrete | MasterAir | | Normal & Mass concrete for raft/bundation, structural concrete |
| | New generation superplasticizer to improve rheology | MasterGlenium PAV 806 | | Concrete pavements, industrial floors, slab-on-ground |
| | Structural fibre adding toughness and ductility to concrete | MasterFiber 240 | | Industrial floors, slab-on-ground, precast concrete |
| Surface Improvement | Mould release agent | MasterFinish 235J | | Smooth finish concrete surfaces |
| 2 | Non-film forming curing compound | MasterKure 181 | | Curing of concrete surfaces |
| | Epoxy based, non-sag, adhesive mortar | MasterBraceADH 1406 | 24 | Concrete repair, anchorage, and bonding of construction materials(steel, concrete, brick.) |
| | Cement based, high build repair mortar | MasterEmaco S 488 | 24 | Patch repair of structural members |
| | Cement based, pourable, structural repair mortar | MasterEmaco S 488 PG | 24 | Form & pour, repair of structural members |
| Concrete Repair and | Cement based, high strength and self compacting non-shrink grout | MasterEmaco S 423 | 24 | Form & pour, volume repairs of structural members |
| Protection | Ultra fast, extra high-strength, thixotropic structural repair mortar | MasterEmaco T1100 TIX | | Patch repair of concrete, where high & rapid strength build-up, even at <0 °C are needed |
| | Ultra fast, extra high-strength, flowable structural repair mortar | MasterEmaco T1200 PG | | Repair of horizontal surfaces that need to be opened to traffic swiftly, even at <0 °C |
| | Epoxy based injection resin | MasterInject 1302 | 24 | Structural crack repair |
| | Epoxy Coating | MasterProtect 180 | 24 | Lining for storage tanks / water retaining tanks and splash zones |
| | Cementitious precision grout | MasterFlow 928 | 24 | Foundation mounting of machine/equipment/steel column |
| | High-strength epoxy grout & repair mortar | MasterFlow 402/ MasterFlow 402 RS | 24 2 | Foundation mounting of pump/equipment with heavy dynamic load |
| Grout & Anchorage 5 | Fast&easy cementitious anchoring grout | MasterFlow 960 TIX | | Structural anchoring of rebars and bolts, even in wet concrete or when high temp resistance req'd |
| | Methacrylate / epoxy resin based chemical anchoring grouts | MasterFlow 920 AN/ MasterFLow 936 AN | 2 24 | Post installation of rebars, fixing of bolts, shear connectors and bearing plates |
| | Polysulphide sealants | MasterSeal CR 170/171 | 48 | Expansion Joint with chemical resistance |
| | Hydro-swelling gaskets | MasterSeal 910 | | Construction Joint |
| Waterproofing and Sealants | Waterproofing TPO tapes | MasterSeal 930 | | Sealing wide expansion / seismic joints |
| | Epoxy-polyurethane coating | MasterSeal M 336 | 24 | Waterproofing and protection |
| | Polyurea coating | MasterSeal M689 | | Waterproofing and protection |
| Performance Flooring | Dense, impervious, hygenic, long lived, heavy duty PU concrete flooring | UCRETE series | 24 | High abration, impact and chemical resistant, anti- skid floors (especially when wet) |



Waste Handling



Selection Chart: Waste Handling

| Segment | Description | Product | Fast Solutions (Hour) | Application |
|-----------------------------------|---|--|--------------------------|---|
| | High Range Superplasticizers - Normal and retarding | MasterGlenium | | Normal & Mass concrete for raft/foundation, structural concrete |
| | Super slump retaining hyperplasticizer | MasterGlenium, MasterGlenium SKY | | High performance & self compacting concrete |
| | Carrision Inhibitor admixture | MasterLife CI 222 Plus | | Reinforeced concrete |
| Admixtures | Densified Silica Fume for cast and sprayed concrete | MasterRoc MS 610 | | Dense concrete with improved resistance to chemical and mechanical attack |
| 0 | Waterproofing Admixture | MasterLife WP 701 | | Normal & Mass concrete for raft/foundation, structural concrete |
| | Shrinkage reducing admixture | MasterLife SRA 865 | | Mass concrete for raft/foundation |
| | Air entraining admixture for concrete | MasterAir | | Normal & Mass concrete for raft/foundation, structural concrete |
| Surface Improvement | Mould release agent | MasterFinish 235J | | Smooth finish concrete surfaces |
| 2 | Non-film forming curing compound | MasterKure 181 | į | Curing of concrete surfaces |
| | Epoxy based, non-sag, adhesive mortar | MasterBraceADH 1406 | 24 | Concrete repair, anchorage, and bonding of construction materials (steel, concrete, brick.) |
| | Cement based, high build repair mortar | MasterEmaco S 488 | 24 | Patch repair of structural members |
| | Cement based, pourable, structural repair mortar | MasterEmaco S 488 PG | 24 | Form & pour, repair of structural members |
| | Cement based, high strength and self compacting non-shrink grout | MasterEmaco S 423 | 24 | Form & pour, volume repairs of structural members |
| | Ultra fast, extra high-strength, thixotropic structural repair mortar | MasterEmaco T1100 TIX | 2 | Patch repair of concrete, where high & rapid strength build-up, even at <0 °C are needed |
| Concrete Repair and Protection | Ultra fast, extra high-strength, flowable structural repair mortar | MasterEmaco T1200 PG | | Repair of horizontal surfaces that need to be opened to traffic swiftly, even at <0 °C |
| 3 | Epoxy based injection resin | MasterInject 1302 | 24 | Structural crack repair |
| | Acrylic polymer based elastomeric exterior coating | MasterProtect 330 EL | 24 | Protection of concrete and plastered surfaces from affects of frost, carbonation and salts |
| | Epoxy Coating | MasterProtect 180 | | Lining for storage tanks / water retaining tanks and splash zones |
| | Hydrophobization & Impregnation treatments | MasterProtect H 1100 / MasterProtect H 303 | | Protection for external concrete surfaces |
| L | Surface applied corrosion inhibitor | MasterProtect 8000 CI | 24 | Corrosion protection of new and stopping of existing concrete structures |
| Concrete Repair and Strengthening | Carbone fibre composite strengthening systems | MasterBrace FIB, MasterBrace NET, MasterBrace LAM | | Structural strengthening |
| Grout & Anchorage | Cementitious precision grout | MasterFlow 928 | 24 | Foundation mounting of machine/equipment/steel column |
| | High-strength epoxy grout & repair mortar | MasterFlow 402/ MasterFlow 402 RS | 24 2 | Foundation mounting of pump/equipment with heavy dynamic load |
| | Metallic aggregate reinforced, ultra-high strength and impact resistant grout | MasterFlow 4800 | | Mounting of turbines/generators/compressors with high dynamic and repetitive loading |
| | Methacrylate / epoxy resin based chemical anchoring grouts | MasterFlow 920 AN/ MasterFLow 936 AN | 2 24 | Post installation of rebars, fixing of bolts, shear connectors and bearing plates |
| | Polysulphide sealants | MasterSeal CR 170/171 | 48 | Expansion Joint with chemical resistance |
| Waterproofing and Sealants | Hydro-swelling gaskets | MasterSeal 910 | | Construction Joint |
| 6 | Polyurea coating | MasterSeal M689 | | Waterproofing and protection |





Water Cooling, Movement and Treatment

Cooling Towers







Water Channels & Basins



Waste Water Treatment Plant





Cooling Towers




Selection Chart: Cooling Towers

| İ | 1 | 1 | 1 | ı |
|-----------------------------------|---|--|--------------------------|---|
| Segment | Description | Product | Fast Solutions (Hour) | Application |
| | High Range Superplasticizers - Normal and retarding | MasterGlenium | | Normal & Mass concrete for raft/foundation, structura concrete |
| | Super slump retaining hyperplasticizer | MasterGlenium, MasterGlenium SKY | | High performance & self compacting concrete |
| | Solution for "Smart Dynamic Concrete" | MasterMatrix SDC 100 | | Mass self compacting concrete with low fines |
| | Carrision Inhibitor admixture | MasterLife CI 222 Plus | | Reinforeced concrete |
| Admixtures | Densified Silica Fume for cast and sprayed concrete | MasterRoc MS 610 | | Dense concrete with improved resistance to chemica and mechanical attack |
| 1 | Waterproofing Admixture | MasterLife WP 701 | | Normal & Mass concrete for raft/foundation, structura concrete |
| | Shrinkage reducing admixture | MasterLife SRA 865 | | Mass concrete for raft/foundation |
| | Air entraining admixture for concrete | MasterAir | | Normal & Mass concrete for raft/foundation, structura concrete |
| | Structural fibre adding toughness and ductility to concrete | MasterFiber 240 | | Industrial floors, slab-on-ground, precast concrete |
| Surface Improvement | Mould release agent | MasterFinish 235J | | Smooth finish concrete surfaces |
| 2 | Non-film forming curing compound | MasterKure 181 | | Curing of concrete surfaces |
| | Epoxy based flowable adhesive | MasterBrace ADH 1420 | 24 | Bonding agent for old to new concrete |
| | Epoxy based, non-sag, adhesive mortar | MasterBraceADH 1406 | 24 | Concrete repair, anchorage, and bonding of construction materials (steel, concrete, brick) |
| | Cement based, high build repair mortar | MasterEmaco S 488 | 24 | Patch repair of structural members |
| | Cement based, high strength and self compacting non-shrink grout | MasterEmaco S 423 | 24 | Form & pour, volume repairs of structural members |
| | Ultra fast, extra high-strength, thixotropic structural repair mortar | MasterEmaco T1100 TIX | | Patch repair of concrete, where high & rapid strength build-up, even at <0°C are needed |
| | Ultra fast, extra high-strength, flowable structural repair mortar | MasterEmaco T1200 PG | (3) | Repair of horizontal surfaces that need to be opened to traffic swiftly, even at <0°C |
| Concrete Repair and Protection | Cement based repair mortar | MasterEmaco N 900 | 24 | Reprofilling mortar for finishing the concrete surfaces |
| 3 | Epoxy based injection resin | MasterInject 1302 | 24 | Structural crack repair |
| | Epoxy based, fast setting, water tolerant injection resin | MasterInject 1380 | 24 | Structural repair of water saturated cracks |
| | Acrylic polymer based elastomeric exterior coating | MasterProtect 330 EL | 24 | Protection of concrete andplastered surfaces from affects of frost, carbonation and salts |
| | Epoxy Coating | MasterProtect 180 | 24 | Lining for storage tanks / water retaining tanks and splash zones |
| | Hydrophobization & Impregnation treatments | MasterProtect H 1100 / MasterProtect H 303 | 24 | Protection for external concrete surfaces |
| | Surface applied corrosion inhibitor | MasterProtect 8000 CI | 24 | Corrosion protection of new and stopping of existing concrete structures |
| Concrete Repair and Strengthening | Carbone fibre composite strengthening systems | MasterBrace FIB, MasterBrace NET, MasterBrace LAM | | Structural strengthening |
| | Cementitious precision grout | MasterFlow 928 | 24 | Foundation mounting of machine/equipment/steel column |
| | High-strength epoxy grout & repair mortar | MasterFlow 402/ MasterFlow 402 RS | 24 (2) | Foundation mounting of pump/equipment with heavy dynamic load |
| Grout & Anchorage 5 | Fast&easy cementitious anchoring grout | MasterFlow 960 TIX | | Structural anchoring of rebars and bolts, even in wet concrete or when high temp resistance req'd |
| | Methacrylate / epoxy resin based chemical anchoring grouts | MasterFlow 920 AN/ MasterFLow 936 AN | (2) 24 | Post installation of rebars, fixing of bolts, shear connectors and bearing plates |
| | Polysulphide sealants | MasterSeal CR 170/171 | 48 | Expansion Joint with chemical resistance |
| | Re-injectable hose | MasterSeal 909 | | Construction Joint |
| | Hydro-swelling gaskets | MasterSeal 910 | | Construction Joint |
| Waterproofing and Sealants | Waterproofing TPO tapes | MasterSeal 930 | | Sealing wide expansion / seismic joints |
| | Hydro-swelling injection resin | MasterSeal 901 | | Construction Joint |
| | Epoxy-polyurethane coating | MasterSeal M 336 | 24 | Waterproofing and protection |
| | Polyurethane coating | MasterSeal M800 | | Waterproofing |
| | Hybrid Polyurethane-Polyurea coating | MasterSeal M811 | | Waterproofig |
| | Polyurea coating | MasterSeal M689 | (2) | Waterproofing and protection |
| | High performance floor hardner with corundum aggregates | MasterTop 430 | | Floors subjected to abrasion |
| Performance Flooring | Epoxy floor coatings | MasterTop 1200 series | | Protection and decoration of flooring surfaces |
| 7 | Dense, impervious, hygenic, long lived, heavy | UCRETE series | 24 | High abration, impact and chemical resistant, anti- |
| | duty PU concrete flooring | 1 | | skid floors (especially when wet) |



Raw Water Intake Structures & Reservoirs




Selection Chart: Raw Water Intake Structures & Reservoirs

| Segment | Description | Product | Fast Solutions (Hour) | Application |
|-----------------------------------|---|--|--------------------------|---|
| | High Range Superplasticizers - Normal and retarding | MasterGlenium | | Normal & Mass concrete for raft/foundation, structural concrete |
| | Super slump retaining hyperplasticizer | MasterGlenium, MasterGlenium SKY | | High performance & self compacting concrete |
| | Solution for "Smart Dynamic Concrete" | MasterMatrix SDC 100 | | Mass self compacting concrete with low fines |
| Admixtures | Carrision Inhibitor admixture | MasterLife CI 222 Plus | | Reinforeced concrete |
| 1 | Densified Silica Fume for cast and sprayed concrete | MasterRoc MS 610 | | Dense concrete with improved resistance to chemical and mechanical attack |
| | Waterproofing Admixture | MasterLife WP 701 | | Normal & Mass concrete for raft/foundation, structural concrete |
| | Air entraining admixture for concrete | MasterAir | | Normal & Mass concrete for raft/foundation, structural concrete |
| Surface Improvement | Mould release agent | MasterFinish 235J | | Smooth finish concrete surfaces |
| 2 | Non-film forming curing compound | MasterKure 181 | | Curing of concrete surfaces |
| | Epoxy based flowable adhesive | MasterBrace ADH 1420 | 24 | Bonding agent for old to new concrete |
| | Epoxy based, non-sag, adhesive mortar | MasterBraceADH 1406 | 24 | Concrete repair, anchorage, and bonding of construction materials (steel, concrete, brick) |
| | Cement based, high build repair mortar | MasterEmaco S 488 | 24 | Patch repair of structural members |
| | Cement based, pourable, structural repair mortar | MasterEmaco S 488 PG | 24 | Form & pour, repair of structural members |
| | Cement based, high strength and self compacting non-shrink grout | MasterEmaco S 423 | 24 | Form & pour, volume repairs of structural members |
| | Ultra fast, extra high-strength, thixotropic structural repair mortar | MasterEmaco T1100 TIX | (2) | Patch repair of concrete, where high & rapid strength build-up, even at <0°C are needed |
| Concrete Repair and Protection | Ultra fast, extra high-strength, flowable structura repair mortar | MasterEmaco T1200 PG | | Repair of horizontal surfaces that need to be opened to traffic swiftly, even at <0 °C |
| 3 | Epoxy based injection resin | MasterInject 1302 | 24 | Structural crack repair |
| | Epoxy based, fast setting, water tolerant injection resin | MasterInject 1380 | 24 | Structural repair of water saturated cracks |
| | Acrylic polymer based elastomeric exterior coating | MasterProtect 330 EL | 24 | Protection of concrete and plastered surfaces from affects of frost, carbonation and salts |
| | Epoxy Coating | MasterProtect 180 | 24 | Lining for storage tanks / water retaining tanks and splash zones |
| | Hydrophobization & Impregnation treatments | MasterProtect H 1100 / MasterProtect H 303 | 24 | Protection for external concrete surfaces |
| | Surface applied corrosion inhibitor | MasterProtect 8000 CI | 24 | Corrosion protection of new and stopping of existing concrete structures |
| Concrete Repair and Strengthening | Carbone fibre composite strengthening systems | MasterBrace FIB, MasterBrace NET, MasterBrace LAM | | Structural strengthening |
| | Cementitious precision grout | MasterFlow 928 | 24 | Foundation mounting of machine/equipment/steel column |
| Grout & Anchorage | High-strength epoxy grout & repair mortar Methacrylate / epoxy resin based chemical | MasterFlow 402/ MasterFlow 402 RS MasterFlow 920 AN/ | 24 (2) | Foundation mounting of pump/equipment with heavy dynamic load Post installation of rebars, fixing of bolts, shear |
| | anchoring grouts Polysulphide sealants | MasterFLow 936 AN MasterSeal CR 170/171 | 48 | connectors and bearing plates Expansion Joint with chemical resistance |
| | Re-injectable hose | MasterSeal 909 | | Construction Joint |
| | Hydro-swelling gaskets | MasterSeal 910 | | Construction Joint |
| | Waterproofing TPO tapes | MasterSeal 930 | | Sealing wide expansion / seismic joints |
| | Hydro-swelling injection resin | MasterSeal 901 | | Construction Joint |
| Waterproofing and Sealants | Synthetic PVC waterproofing membranes | MasterSeal 700BG | | Waterproofing of raft/foundation |
| | Pre-applied FPO waterproofing membrane | MasterSeal 754 | | Waterproofing of raft/foundation |
| | Cement and acrylic based flexible coating | MasterSeal 525 | | Waterproofing |
| | Cement and acrylic based flexible coating | MasterSeal 589 | | Waterproofing for negative-positive applications |
| | Cement based elastic and flexible, lightweight, hand or spray applied coating | MasterSeal 6100 FX | 24 | Waterproofing and protection |
| | Epoxy-polyurethane coating | MasterSeal M 336 | 24 | Waterproofing and protection |
| | | | | |
| | Polyurethane coating | MasterSeal M800 | | Waterproofing |
| | Polyurethane coating Hybrid Polyurethane-Polyurea coating | MasterSeal M800 MasterSeal M811 | | Waterproofig |



Water Channels & Basins



Selection Chart: Water Channels & Basins

| Segment | Description | Product | Fast Solutions (Hour) | Application |
|-------------------------------|---|---|--------------------------|--|
| | High Range Superplasticizers - Normal and retarding | MasterGlenium | | Normal & Mass concrete for raft/foundation, structural concrete |
| | Super slump retaining hyperplasticizer | MasterGlenium, MasterGlenium SKY | | High performance & self compacting concrete |
| | Solution for "Smart Dynamic Concrete" | MasterMatrix SDC 100 | | Mass self compacting concrete with low fines |
| | Carrision Inhibitor admixture | MasterLife CI 222 Plus | | Reinforeced concrete |
| | Densified Silica Fume for cast and sprayed concrete | MasterRoc MS 610 | | Dense concrete with improved resistance to chemical and mechanical attack |
| Admixtures | Waterproofing Admixture | MasterLife WP 701 | | Normal & Mass concrete for raft/bundation, structural concrete |
| 1 | Shrinkage reducing admixture | MasterLife SRA 865 | | Mass concrete for raft/foundation |
| | New generation high performance Superplasticizer | MasterGlenium ACE 450 | | Precast concrete |
| | | MasterAir | | Normal & Mass concrete for raft/foundation, structural concrete |
| | New generation superplasticizer to improve rheology | MasterGlenium PAV 806 | | Concrete pavements, industrial floors, slab-on-ground |
| | Structural fibre adding toughness and ductlity to concrete | MasterFiber 240 | | Industrial floors, slab-on-ground, precast concrete |
| Surface Improvement | | MasterFinish 235J | | Smooth finish concrete surfaces |
| 2 | Non-film forming curing compound | MasterKure 181 | | Curing of concrete surfaces |
| | Epoxy based flowable adhesive | MasterBrace ADH 1420 | 24 | Bonding agent for old to new concrete |
| | Epoxy based, non-sag, adhesive mortar | MasterBraceADH 1406 | 24 | Concrete repair, anchorage, and bonding of construction materials (steel, concrete, brick.) |
| | Cement based, high build repair mortar | MasterEmaco S 488 | 24 | Patch repair of structural members |
| | Cement based, pourable, structural repair mortar | MasterEmaco S 488 PG | 24 | Form & pour, repair of structural members |
| Concrete Repair and | Cement based, high strength and self compacting non-shrink grout | MasterEmaco S 423 | 24 | Form & pour, volume repairs of structural members |
| Protection | Ultra fast, extra high-strength, thixotropic structural repair mortar | MasterEmaco T1100 TIX | | Patch repair of concrete, where high & rapid strength build-up, even at <0 °C are needed |
| 3 | Ultra fast, extra high-strength, flowable structural repair mortar | MasterEmaco T1200 PG | | strength build-up, even at <0 °C are needed Repair of horizontal surfaces that need to be opened to traffic swiftly, even at <0 °C |
| | Epoxy based injection resin | MasterInject 1302 | 24 | Structural crack repair |
| | Epoxy based, fast setting, water tolerant injection resin | MasterInject 1380 | 24 | Structural repair of water saturated cracks |
| | Epoxy Coating | MasterProtect 180 | 24 | Lining for storage tanks / water retaining tanks and splash zones |
| Grout & Anchorage | Fast & easy cementitious anchoring grout | MasterFlow 960 TIX | | Structural anchoring of rebars and bolts, even in wet concrete, or when high temp resistance req'd |
| 5 | Methacrylate / epoxy resin based chemical anchoring grouts | MasterFlow 920 AN/ MasterFLow 936 AN | 2 24 | Post installation of rebars, fixing of bolts, shear connectors and bearing plates |
| | Polysulphide sealants | MasterSeal CR 170/171 | 48 | Expansion Joint with chemical resistance |
| | Re-injectable hose | MasterSeal 909 | | Construction Joint |
| | Hydro-swelling gaskets | MasterSeal 910 | | Construction Joint |
| | Waterproofing TPO tapes | MasterSeal 930 | | Sealing wide expansion / seismic joints |
| | Hydro-swelling injection resin | MasterSeal 901 | | Construction Joint |
| | Synthetic PVC waterproofing membranes | MasterSeal 700BG | | Waterproofing of raft/foundation |
| Waterproofing and Sealants | Cement and acrylic based flexible coating | MasterSeal 525 | | Waterproofing |
| 6 | Cement and acrylic based flexible coating | MasterSeal 589 | | Waterproofing for negative-positive applications |
| | Cement based elastic and flexible, lightweight, hand or spray applied coating | MasterSeal 6100 FX | 24 | Waterproofing and protection |
| | Epoxy-polyurethane coating | MasterSeal M 336 | 24 | Waterproofing and protection |
| | Polyurethane coating | MasterSeal M800 | | Waterproofing |
| | Hybrid Polyurethane-Polyurea coating | MasterSeal M811 | | Waterproofig |
| | Polyurea coating | MasterSeal M689 | 2 | Waterproofing and protection |



Waste Water Treatment Plant



Selection Chart: Waste Water Treatment Plant

| Segment | Description | Product | Fast Solutions (Hour) | Application |
|-----------------------------------|--|---|--------------------------|--|
| | High Range Superplasticizers - Normal and retarding Super slump retaining hyperplasticizer | MasterGlenium MasterGlenium, MasterGlenium SKY | | Normal & Mass concrete for raft/foundation, structural concrete High performance & self compacting concrete |
| | Solution for "Smart Dynamic Concrete" | MasterMatrix SDC 100 | | Mass self compacting concrete with low fines |
| | Carrision Inhibitor admixture Densified Silica Fume for cast and sprayed | MasterLife CI 222 Plus | | Reinforeced concrete Dense concrete with improved resistance to |
| Admixtures 1 | concrete Waterproofing Admixture | MasterRoc MS 610 MasterLife WP 701 | | chemical and mechanical attack Normal & Mass concrete for raft/foundation, |
| | Shrinkage reducing admixture | MasterLife SRA 865 | | structural concrete Mass concrete for raft/foundation |
| | Air entraining admixture for concrete Structural fibre adding toughness and ductility to concrete | MasterAir MasterFiber 240 | | Normal & Mass concrete for raft/foundation, structural concrete Industrial floors, slab-on-ground, precast concrete |
| Surface Improvement | Mould release agent | MasterFinish 235J | | Smooth finish concrete surfaces |
| 2 | Non-film forming curing compound | MasterKure 181 | | Curing of concrete surfaces |
| | Epoxy based flowable adhesive | MasterBrace ADH 1420 | 24 | Bonding agent for old to new concrete |
| | Epoxy based, non-sag, adhesive mortar | MasterBraceADH 1406 | 24 | Concrete repair, anchorage, and bonding of construction materials (steel, concrete, brick) |
| | Cement based, high build repair mortar Cement based, pourable, structural repair | MasterEmaco S 488 | 24 | Patch repair of structural members |
| | mortar Cement based, pourable, structural repair mortar Cement based, high strength and self | MasterEmaco S 488 PG | 24 | Form & pour, repair of structural members Form & pour, volume repairs of structural members |
| | compacting non-shrink grout Ultra fast, extra high-strength, thixotropic | MasterEmaco S 423 | 24 | Patch repair of concrete, where high & rapid |
| Concrete Repair and Protection | structural repair mortar Ultra fast, extra high-strength, flowable structural repair mortar | MasterEmaco T1100 TIX MasterEmaco T1200 PG | | strength build-up, even at <0° C are needed Repair of horizontal surfaces that need to be opened to traffics wiftly, even at <0° C |
| 3 | Epoxy based injection resin Epoxy based, fast setting, water tolerant | MasterInject 1302 | 24 | Structural crack repair |
| | injection resin Acrylic polymer based elastomeric exterior | MasterInject 1380 MasterProtect 330 EL | 24 | Structural repair of water saturated cracks Protection of concrete and plastered surfaces |
| | coating Epoxy Coating | MasterProtect 330 EL MasterProtect 180 | 24 | from affects of frost, carbonation and salts Lining for storage tanks / water retaining tanks |
| | Hydrophobization & Impregnation treatments | MasterProtect H 1100 / | 24 | and splash zones Protection for external concrete surfaces |
| | Surface applied corrosion inhibitor | MasterProtect H 303 MasterProtect 8000 CI | 24 | Corrosion protection of new and stopping of existing concrete structures |
| Concrete Repair and Strengthening | Carbone fibre composite strengthening systems | MasterBrace FIB, MasterBrace NET, MasterBrace LAM | | Structural strengthening |
| | Cementitious precision grout | MasterFlow 928 | 24 | Foundation mounting of machine/equipment/ steel column |
| Grout & Anchorage 5 | Fast & easy cementitious anchoring grout Methacrylate / epoxy resin based chemical anchoring grouts | MasterFlow 960 TIX MasterFlow 920 AN/ MasterFLow 936 AN | (3) 24 | Structural anchoring of rebars and bolts, even in wet concrete, or when high temp resistance req'd Post installation of rebars, fixing of bolts, shear connectors and bearing plates |
| | Polyurethane sealants | MasterSeal 440 | | Expansion Joint |
| | Polysulphide sealants | MasterSeal CR 170/171 | 48 | Expansion Joint with chemical resistance |
| | Re-injectable hose | MasterSeal 909 | | Construction Joint |
| | Hydro-swelling gaskets | MasterSeal 910 | | Construction Joint |
| | Waterproofing TPO tapes | MasterSeal 930 | | Sealing wide expansion / seismic joints |
| | Hydro-swelling injection resin | MasterSeal 901 | | Construction Joint |
| Waterproofing and Sealants | Synthetic PVC waterproofing membranes | MasterSeal 700BG | | Waterproofing of raft/foundation |
| 6 | Pre-applied FPO waterproofing membrane | MasterSeal 754 | | Waterproofing of raft/foundation |
| | Cement and acrylic based flexible coating Cement and acrylic based flexible coating | MasterSeal 525 MasterSeal 589 | | Waterproofing Waterproofing for negative-positive applications |
| | Epoxy-polyurethane coating | MasterSeal M 336 | 24 | Waterproofing and protection |
| | Polyurethane coating | MasterSeal M800 | - | Waterproofing |
| | Hybrid Polyurethane-Polyurea coating | MasterSeal M811 | | Waterproofig |
| | Polyurea coating | MasterSeal M689 | (2) | Waterproofing and protection |
| Performance Flooring | Epoxy floor coatings | MasterTop 1200 series | | Protection and decoration of flooring surfaces |
| 7 | Dense, impervious, hygenic, long lived, heavy duty PU concrete flooring | UCRETE series | 24 | High abration, impact and chemical resistant, anti-skid floors (especially when wet) |





Auxiliary Buildings: Administration Building, Control Room, Electrical Room, Kitchen, Laboratory..






Auxiliary Buildings



Flooring Solutions



e) Laboratories: Anti-static and/or Anti-bacterial Epoxy, PU or Ucrete® flooring

Selection Chart: Administration Building, Control Room, Electrical Room, Kitchen, Laboratory..

| I | | I | | <u> </u> | |
|-----------------------------------|---|--|--------------------------|---|--|
| Segment | Description | Product | Fast Solutions (Hour) | Application | |
| Admixtures 1 | High Range Superplasticizers - Normal and retarding | MasterGlenium | | Normal & Mass concrete for raft/bundation, structural concrete | |
| | Super slump retaining hyperplasticizer | MasterGlenium, MasterGlenium | | High performance & self compacting concrete | |
| | Shrinkage reducing admixture | SKY MasterLife SRA 865 | | Mass concrete for raft/foundation | |
| | Structural fibre adding toughness and ductility to concrete | MasterFiber 240 | | Industrial floors, slab-on-ground, precast concrete | |
| Surface Improvement | | MasterFinish 235J | | Smooth finish concrete surfaces | |
| 2 | Non-film forming curing compound | MasterKure 181 | | Curing of concrete surfaces | |
| | Epoxy based flowable adhesive | MasterBrace ADH 1420 | 24 | Bonding agent for old to new concrete | |
| | Epoxy based, non-sag, adhesive mortar | MasterBraceADH 1406 | 24 | Concrete repair, anchorage, and bonding of | |
| | | MasterEmaco S 488 | 24 | construction materials (steel, concrete, brick.) | |
| | Cement based, high build repair mortar Cement based, pourable, structural repair | | | Patch repair of structural members | |
| | mortar Cement based, high strength and self | MasterEmaco S 488 PG | 24 | Form & pour, repair of structural members | |
| | compacting non-shrink grout Ultra fast, extra high-strength, thixotropic | MasterEmaco S 423 | | Form & pour, volume repairs of structural members Patch repair of concrete, where high & rapid | |
| Concrete Repair and | structural repair mortar | MasterEmaco T1100 TIX | | strength build-up, even at <0 °C are needed | |
| Protection 3 | Ultra fast, extra high-strength, flowable structural repair mortar | MasterEmaco T1200 PG | | Repair of horizontal surfaces that need to be opened to traffic swiftly, even at <0 °C | |
| | Cement based repair mortar | MasterEmaco N 900 | 24 | Reprofilling mortar for finishing the concrete surfaces | |
| | Epoxy based injection resin | MasterInject 1302 | 24 | Structural crack repair | |
| | Epoxy Coating | MasterProtect 180 | 24 | Lining for storage tanks / water retaining tanks and splash zones | |
| | Hydrophobization & Impregnation treatments | MasterProtect H 1100 / MasterProtect H 303 | 24 | Protection for external concrete surfaces | |
| | Surface applied corrosion inhibitor | MasterProtect 8000 CI | 24 | Corrosion protection of new and stopping of existing concrete structures | |
| Concrete Repair and Strengthening | Carbone fibre composite strengthening systems | MasterBrace FIB, MasterBrace NET, MasterBrace LAM | | Structural strengthening | |
| | Cementitious precision grout | MasterFlow 928 | 24 | Foundation mounting of machine/equipment/steel column | |
| Grout & Anchorage | Fast & easy cementitious anchoring grout | MasterFlow 960 TIX | | Structural anchoring of rebars and bolts, even in we concrete, or when high temp resistance req'd | |
| 5 | Methacrylate / epoxy resin based chemical anchoring grouts | MasterFlow 920 AN/ MasterFLow 936 AN | (2) 24 | Post installation of rebars, fixing of bolts, shear connectors and bearing plates | |
| | Polyurethane sealants | MasterSeal 440 | | Expansion Joint | |
| | Polysulphide sealants | MasterSeal CR 170/171 | 48 | Expansion Joint with chemical resistance | |
| | Hydro-swelling gaskets | MasterSeal 910 | | Construction Joint | |
| Waterproofing and Sealants | Waterproofing TPO tapes | MasterSeal 930 | | Sealing wide expansion / seismic joints | |
| | Synthetic PVC waterproofing membranes | MasterSeal 700BG | | Waterproofing of raft/foundation | |
| | Pre-applied FPO waterproofing membrane | MasterSeal 754 | | Waterproofing of raft/foundation | |
| | Polyurethane coating | MasterSeal M800 | | Waterproofing | |
| | Hybrid Polyurethane-Polyurea coating | MasterSeal M811 | | Waterproofig | |
| | Polyurea coating | MasterSeal M689 | | Waterproofing and protection | |
| | High performance floor hardner with corundum | MasterTop 430 | | Floors subjected to abrasion | |
| | aggregates Epoxy or Polyurethane anti-static flooring | MasterTop 1273 AS, MasterTop | | Floors with anti-static requirements | |
| Performance Flooring | systems Epoxy or Polyurethane anti-bacterial flooring | 1324 AS, UCRETE MFAS MasterTop 1324 AB, MasterTop | | Floors with anti-static requirements Floors with anti-bacterial requirements | |
| | systems Epoxy floor coatings | 1325 AB MasterTop 1200 series | | Protection and decoration of flooring surfaces | |
| | Polyurethane floor coatings | MasterTop 1300 series | | Protection and decoration of flooring surfaces | |
| | Dense, impervious, hygenic, long lived, heavy | UCRETE series | 24 | High abration, impact and chemical resistant, anti- | |
| | duty PU concrete flooring | OUTLIE SCHOOL | 4 | skid floors (especially when wet) | |

| Notes | | | |
|-------|--|--|--|
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |



| Notes | |
|-------|--|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |



Master Builders Solutions from BASF

Master Builders Solutions

The Master Builders Solutions brand brings all of BASF's expertise together to create chemical solutions for new construction, maintenance, repair and renovation of structures. Master Builders Solutions is built on the experience gained from more than a century in the construction industry.

The know-how and experience of a global community of BASF construction experts form the core of Master Builders

Solutions. We combine the right elements from our portfolio to solve your specific construction challenges. We collaborate across areas of expertise and regions and draw on the experience gained from countless construction projects world-wide. We leverage global BASF technologies, as well as our in-depth knowledge of local building needs, to develop innovations that help make you more successful and drive sustainable construction.

Our comprehensive portfolio

- Concrete admixtures
- Cement additives
- Chemical solutions for underground construction
- Waterproofing solutions
- Sealants
- Tile fixing system
- Concrete repair and protection solutions
- Performance grouts
- Performance flooring solutions





Master Builders Solutions by BASF

MasterAir®

Complete solutions for air entrained concrete

MasterBrace®

Solutions for concrete strengthening

MasterCast®

Solutions for the manufactured concrete product industry

MasterCem[®]

Solutions for cement manufacture

MasterEase[®]

A groundbreaking admixture for low-viscosity concrete

MasterEmaco®

Solutions for concrete repair

MasterFinish®

Solutions for formwork treatment and surface improvement

MasterFlow®

Solutions for precision grouting

MasterFiber[®]

Comprehensive solutions for fiber reinforced concrete

MasterGlenium®

Solutions for high performance concrete

MasterInject®

Solutions for concrete injection

MasterKure®

Solutions for concrete curing

MasterLife[®]

Solutions for enhanced durability

MasterMatrix[®]

Advanced rheology control for

MasterPel®

Solutions for water tight concrete

MasterPolyheed®

Solutions for mid-range concrete

MasterPozzolith®

Solutions for water-reduced concrete

MasterProtect®

Solutions for concrete protection

MasterRheobuild®

Solutions for high strength concrete

MasterRoc®

Solutions for underground construction

MasterSeal®

Solutions for waterproofing and sealing

MasterSet

Solutions for set control

MasterTile®

Solutions for tile fixing system

MasterTop®

Solutions for industrial and commercial floors

Master X-Seed®

Advanced accelerator solutions for concrete

Ucrete®

Flooring solutions for harsh environments

www.master-builders-solutions.basf.com.tr

BASF Türk Kimya Sanayi ve Tic. Ltd. Şti.

Mete Plaza, İçerenköy Mah. Bahçelerarası Sok. No:43, 34752 Ataşehir/İstanbul

Tel: 0216 570 34 00 Fax: 0216 570 36 33

Adana

Yurt Mah. 71343 Sok. No:42 Kervan Tower Apt. 1/B 01160 Çukurova/Adana

Tel: 0322 235 02 53 Fax: 0322 235 09 59

Oğuzlar Mah. Ceyhun Atık Kansu Cad. 1381 Sok. Can İş Merkezi No: 5/2 06520 Balgat/Ankara

Tel: 0312 285 39 07 Fax: 0312 285 06 14

Yeşilbahçe Mah. Portakal Çiçeği Bulvarı Turunç Plaza No: 6/7 Muratpaşa/Antalya Tel: 0242 340 16 26

Fax: 0242 340 28 85

Bayraklı Tower Mansuroğlu Mah. Ankara Cad. No: 81 Kat: 22 35030 Bayraklı/İzmir Daire: 152-153-154-155-156-157

Tel: 0232 241 12 50 Fax: 0232 441 10 49

Kükürtlü Mah. Kükürtlü Cad. No: 67 Tan İş Merkezi C Blok D: 12 Kat: 4 Bursa

Tel: 0224 232 32 63 Fax: 0224 232 32 75

Arsin Organize San. Bölg. Yeşil Yalı Mah. 5. Cad. No: 6/a Arsin/Trabzon

Tel: 0462 711 11 30

Fax: 0462 711 18 46